

DT-V1710SET1 17" Monitor-set with interface

17" Monitor-Set with IF-C21HSDG Interface



[Description](#)

[Main features](#)

[Additional features](#)

[Technical specs](#)

[Accessories](#)

[Brochures and manuals](#)

[See all in one page](#)



Description

17" HD multi-standard CRT Colour monitor with Interface Card IF-C21HSGD as a bundle. IF-C21HSGD has following main features: HD SDI in and out, Embedded audio, Audio input select on/off switch.

Main features

- 800 TV lines resolution on Natural-Flat screen
- Takes all progressive/interlace I/Ps from SD to HD
- Auto input selection of HD SDI and SDI
- Optional input cards for RGB/SDI
- 16:9/4:3 switchable with 14:9/13:9 area marking
- Comprehensive front panel & CPU menu control
- Built-in audio monitoring speaker

Additional features

- Front panel Pulse Cross, Aspect & Blue Check
- Front panel Colour-Off, Underscan, & Area Marker
- 16:9 detachable screen bezel as standard
- Monitor takes all 3 types of input card at once
- Loop-thru/switched-out for all inputs
- Dual inputs per optional SDI & composite input card

Technical specs

CRT:

17" (16" vertical) 0.25mm dot pitch Natural-Flat CRT

Colour system:

480i/576i (interlaced)

480p (progressive)

720p (progressive)

1080i (interlaced)

1080/24psf (progressive sequential frame)

Horizontal resolution:

800 TV lines or greater

16:9/4:3 switchable:

Yes (includes 14:9 and 13:9 switchable area markers)

16:9 bezel included

Serial digital I/F option:

Yes HD SDI and SDI various (see optional accessories below)

Y/R-Y/B-Y Component:

Yes 1 x (via optional IF-C01COMG card)

RGB:

Yes 1 x (via optional IF-C01COMG card)

AUDIO:

Yes (RCA phono with loop-thru for all inputs)

Under scan:

Yes

Pulse cross:

Yes

Blue only:

Yes

A/B switching:

Yes (dual input switching for each I/P module)

Power requirement:

ACDual AC 120/230V 50/60Hz (1.0 to 1.85 Amps)

Dimensions (WxHxD):

395 x 334 x 466.5

Weight:

23.7 kg

ACCESSORIES (Supplied)

16:9 detachable bezel

Accessories

- [IF-C01COMG](#)
- Component Input board for DT-V monitors
- [IF-C12HSDG](#)
- HD SDI, embedded audio
- [IF-C51HSDG](#)
- HD SDI, emb aud, auto in, lev mtr
- [IF-C61HSDG](#)
- HD/SD SDI input card
- [RK-C1700E](#)
- 19" Rack Mount, 17" TM-H & DT-

Brochures and manuals



[Brochure for DT-V1910CG and DT-V1710CG](#)



[Instruction manual \(from the JVC Professional Europe Service Information System\)](#)

Links

Miscellaneous