

MC-8600LU Library LVD for 600 DVD 6 drvs

600 disc (5.6TB) DVD jukebox with up to 6 drives and printer options...



Description

Main features

Additional features

Technical specs

Brochures and manuals

See all in one page



Description

600 disc (5,6TB) DVD jukebox with up to 6 drives and printer options.

600 disc capacity gives up to 5,64TB of data, max. 6 internal multi/single purpose drives and 3 SCSI-2 buses, takes DVD-R/RAM/ROM, CD-R/RW/ROM (mixed or pure), Double-sided flip-on-the-fly carrier option. Optional: 720x720 dpi disc colour printer, high speed LVD SCSI Interface (80 MB/sec), shielded 68p Cable (Pin type SCSI 3 compliant).

Main features

- 600 disc capacity gives up to 5.64TB of data
- Up to 6 internal multi/single purpose drives & 3 SCSI-2 buses
- Takes DVD-R/RAM/ROM, CD-R/RW/ROM (mixed or pure)
- Double-sided flip-on-the-fly carrier option
- Optional 720x720 dpi disc colour printer
- High Speed LVD SCSI Interface (80 MB/sec)
- Shielded 68P Cable (Pin type SCSI 3 compliant)

Additional features

- 12 x 50-disc magazine capacity
- 4.5 sec average disc loading time
- Mail Box to load/unload single discs
- Low power consumption - slimline mini-tower design
- 2.5 million MSBF (Mean Swaps Before Failure)
- Optional 19 inch Rack available

Technical specs

Disc capacity:

Up to 600 discs

Playback formats:

DVD-R, DVD-RAM, DVD-ROM, CD-ROM, CD-R, CD-RW

Recording formats:

DVD-R, DVD-RAM, CD-R, CD-RW

Max Storage capacity:

DVD-R: 5.6TB, DVD-RAM: 5.64TB

Max Record capacity:

DVD-R: 5.6TB, DVD-RAM: 5.64TB

Number of drives available:

Up to 6 with no loss of capacity

Disc magazines:

12 x 50-disc magazines (11 with 9-drive option or 10 with 12-drive option)

Disc load time:

4.5 seconds average

SCSI Interface:

High speed LVD SCSI interface (80 MB/sec).

Shielded 68P Cable (Pin type SCSI 3 compliant)

SCSI ID:

User selectable

Dimensions (WxHxD):

777 x 1641 x 807 (on caster base)

Weight:

104 Kg

Operating voltage:

AC 120-240V 50/60 Hz

Power consumption:

140W

MSBF:

2.5 million

Operating Temperature:

5 to 35 degrees C

Operating Humidity:

10 to 80 percent RH

ACCESSORIES (Optional)

MC-AP30U 4-colour inkjet disc printer

MC-CF10U Double-sided disc carrier

MC-D307U DVD-ROM drive unit

MC-R433U DVD/CD writer (2x)

MC-R434U DVD/CD writer (4x)

MC-RACK600 19 inch rack

Accessories

Brochures and manuals



[Brochure MC-BLX series](#)



[Instruction manual \(from the JVC Professional Europe Service Information System\)](#)

Links

Miscellaneous